# SAFETY DATA SHEET

SDS NUMBER:S10Revision:2Prepared:5/28/2015Reason for revision:Update to SDS Format

### **01 PRODUCT AND COMPANY IDENTIFICATION**

Product Name:

Product Code:Various (See Section 16 for Items Covered by this SDS)Recommended Use:Printing Ink: Offset

Address: Phone: Fax: Initials of Country:

## **02 HAZARDS IDENTIFICATION**

## **GHS Classification:**

Aspiration Toxicity	Category 1
Skin Corrosion / Irritation	Category 2

## APPEARANCE AND ODOR: COLORED PASTE, OILY SMELL

SIGNAL WORD:

DANGER

HAZARD PICTOGRAMS AND STATEMENTS:



#### PHYSICAL HAZARDS

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

**PRECAUTIONARY STATEMENTS** 

**PREVENTION** P264 Wash ... thoroughly after handling. clothing/eye prevention/face protection. P280 Wear protective gloves/protective clothing/eye prevention/face protection.

#### RESPONSE

No. Pages:

6

P301 + P310 IF SWALLOWED: Immediately call a Poison Center/doctor/...

P331 Do not induce vomiting.

P321 Specific treatment (see on this label)

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P332 + P313 If skin irritation occurs get medical advise/attention.

P362 Take off contaminated clothing and wash before reuse.

# **03. COMPOSITION/INFORMATION ON INGREDIENTS**

For Mixtures:

Chemical Name	Cas No. and other unique identifiers	Concentration
Petroleum Distallate	64741-86-2	2-5%

# 04. FIRST AID MEASURES

Inhalation:	Allow the victim to rest in a well ventilated area. Consult a doctor if the victim continues to feel unwell. If in contact with skin, wash immediately with plenty of soap and water. If
Skin contact:	irritation persists, seek medical attention. Wash contaminated clothing before reusing.
Eye contact:	Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.
Ingestion:	If appreciable quantities have been swallowed, seek medical attention. Do not induce vomiting.
05. FIRE FIGHTING MEASURES	
Flashpoint:	None
Auto ignition:	Will not occur
LEL:	N/A
UEL:	N/A
Flammable Limits	N/A
Extinguishing Media:	Water spray, foam or dry chemical
Unusual Fire/Explosion Hazards:	Dense smoke may be generated when burning. Carbon monoxide, carbon dioxide and other oxides may be generated as products of combustion.
Hazardous Combustion Products:	Hydrocarbons, carbon monoxide (CO), soot, smoke.
FIRE FIGHTING EQUIPMENT:	Firefighters and others who are exposed should wear self-contained breathing apparatus. Equipment should be thoroughly decontaminated after use.

## **06. ACCIDENTAL RELEASE MEASURES**

Personal Precautions:	Use personal protection recommended in Section 8.
Environmental Precautions:	Keep out of drains and water courses.
Small Spills:	Absorb small spills with an inert material and then place in a chemical waste container. Refer to section 13 for disposal information and Sections 14 and 15 for reportable quantity information.
Large Spills:	Contain large spills with dikes and transfer the material to appropriate containers for reclamation or disposal. Absorb remaining material with an inert material such as sand. Clean spill area with detergent.

## 07. HANDLING AND STORAGE

Handling Precautions:	Wear all appropriate Personal Protective Equipment (PPE). Use the product in a manner which minimizes splashes. Avoid contact with eyes, skin, and clothing. Avoid breathing vapor or mist. Use with adequate ventilation. Wash exposed skin thoroughly after handling.
Storage Requirements:	Containers should be stored away from heat. Keep containers tightly closed and in a dry place.

# **08. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Engineering Controls:	Safety showers, eyewash station and adequate ventilation.
Exposure Guidelines:	No specific occupational exposure limit has been established.
Eye Protection:	Safety glasses are recommended. Have eye flushing equipment available.
Hand Protection:	Use of gloves or barrier cream recommended. Do not apply barrier cream after exposure. Consult the glove/clothing manufacturer to determine the appropriate type of glove or clothing for use with this material in your specific application.
Body Protection:	Wash contaminated skin thoroughly and promptly with mild soap and water. Do not use solvents, as these can penetrate the skin and cause irritation. Launder contaminated clothing and clean protective equipment before reuse.
Respiratory Protection:	Avoid breathing vapor or mist. Lack of local mechanical exhaust ventilation at point of use may require the use of respirators.

## **09. PHYSICAL AND CHEMICAL PROPERTIES**

Physical State:	Thick, tacky liquid
pH Value:	Not determined
Boiling Range:	> 300 F
Vapor Pressure (mmHg):	Not determined
Vapor Density:	Heavier than air
Flash Point:	> 200 F
Specific Gravity (color dependent):	Varies by color
LBS. VOC/Gallon of Ink::	Varies by color
% VOC (WT):	Varies by color see section 16 for details

## **10. STABILITY AND REACTIVITY**

Reactivity:	Stable
Chemical stability:	Stable
Possibility of hazardous reactions:	No hazardous reactions when stored and handled according to instructions. This product is chemically stable.

Conditions to avoid:	No specific data.
Incompatibilities:	No specific data.
Hazardous Decomposition Products:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **11. TOXICOLOGICAL INFORMATION**

#### Acute effects of exposure:

Inhalation:	The inhalation of airborne droplets or aerosols may cause irritation of the respiratory tract.
Ingestion:	Irritating to the mouth, throat and stomach.
Skin contact:	Avoid skin contact. Slight to moderate irritant. May cause allergic reaction.
Eye contact:	May cause serious eye irritation.
Chronic effects:	Causes damage to organs through prolonged or repeated exposure.
Numerical measures of toxicity:	Not determined.
Carcinogenicity:	Not a carcinogen by IARC, NTP or OSHA.

## **12. ECOLOGICAL INFORMATION**

Ecotoxicity:	No data available
Persistence and degradability:	No data available
Bioaccumulative potential:	No data available
Mobility in soil:	No data available
Other adverse effects:	No data available

## **13. DISPOSAL CONSIDERATIONS**

US EPA RCRA STATUS:	This material, when discarded, is not a hazardous waste as that term is defined by the Resource, Conservation, and Recovery Act (RCRA), 40 CFR 261.
DISPOSAL CONSIDERATIONS:	Dispose in accordance with federal, state, and local regulations.
MISCELLANEOUS ADVICE:	This material and its container must be disposed of in a safe way. It is the waste generator's responsibility to determine if a particular waste is hazardous under RCRA. Dispose of through a licensed facility.

## **14. TRANSPORT INFORMATION**

Not regulated as a hazardous material by the U.S. Dept. of Transportation (DOT) 49 CFR 172. Additional information: Not regulated by IATA or IMDG.

## **15. REGULATORY INFORMATION**

EPA TSCA Inventory: The chemical compounds of this product are contained on the Section 8(B) Chemical Substance Inventory List (40CFR710).

This product contains the following components that are listed by IARC as possibly carcinogenic to humans (Group 2B):		Not regulated
OSHA (29 CFR 1910.1200 Appendix A) Classification:		Not regulated
US EPA RCRA Status: This product contains the following ingredients that are classified as hazardous wastes as this term is defined by the Resource, Conservation, and Recovery Act (RCRA), 40 CFR 261:		Not regulated
SARA Section 302 (40 CFR 255) Extremely Hazardous Substances: The following components are listed as extremely hazardous substances under SARA Section 302:		Not regulated
Clean Air Act S112 Hazardous Air Pollutants (HAPS):		Not regulated
SARA (311, 312) Hazard Class:		
Fire Hazard:	No	
Sudden release of pressure:	No	
Reactive hazard:	No	
Immediate (Acute) health hazard:	Yes	
Delayed (Chronic) health hazard:	No	
SARA (313) (TRI reporting):		Not regulated
California Proposition 65: This product contains trace levels of a component or		Yes
components known to the state of Califo birth defects or other reproductive harn	ornia to cause	Bisphenol A 80-05-7 <100ppm Formaldehyde 50-00-0 <100ppm Naphthalene 91-20-3 <100ppm

# **16. OTHER INFORMATION**

# Items covered by this SDS and mixes made from these products

Item Code & Description	Voc %
W0441 PDI Trans White	30.8
Y4436 PDI Yellow	15.6
R3854 PDI Warm Red	9.2
R3377 PDI Rubine	14.5
R3852 PDI Rhodamine	26.0
B3670 PDI Blue	21.9
B4519 PDI Reflex Blue	19.7
B7436 PDI Violet	15.1
B5095 PDI Purple	16.6
G7494 PDI Green	20.8
K1068 PDI Neutral Black	22.8

A bulletin such as this cannot be expected to cover all possible individual situations. As the user has the responsibility to provide a safe workplace, all aspects of an individual operation should be examined to determine if or where precautions (in addition to those described herein) are required. Any health hazard and safety information contained herein should be passed on to your employees.

**DISCLAIMER OF LIABILITY**: Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representation as to the accuracy or completeness of the information contained here. Braden Sutphin Ink Company makes no warranty with respect here to and disclaims all liability from reliance there on. Each individual should make a determination as to the suitability of the information for their particular purpose(s).